

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L55	2	("20030233523").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
L69	1	("20040148587").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2008/05/01 13:16
L70	1	"20040148587".pn. and ((block blocking blocked)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L71	1	"20040148587".pn. and ((block blocking blocked) same irreversibl\$2)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L72	1	"20040148587".pn. and ((shared \$2lock\$2)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L73	1	"20040148587".pn. and ((shared near unlocked)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L74	1	"20040148587".pn. and ((shared with unlocked)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L75	1	"20040148587".pn. and ((sharewith lock\$2)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L76	1	"20040148587".pn. and ((share with lock\$2)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L78	1	"20040148587".pn. and ((global globally)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L79	1	"20040148587".pn. and ((replicat\$3)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L80	1	"20040148587".pn. and ((replicat\$3) with source)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L81	1	"20040148587".pn. and ((replicat\$3) with electronic with data with element)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L82	26	((("6029178") or ("6032158") or ("5909540") or ("6823458") or ("20030050930") or ("6857068") or ("5832487") or ("6769124") or ("6862599") or ("6408292") or ("5764973") or ("6016497") or ("6463439") or ("6611837") or	US-PGPUB; USPAT; EPO	OR	OFF	2008/05/01 13:16

		((("6636875") or ("6671696") or ("20020059325") or ("6477597") or ("5890153") or ("20020174200") or ("20030233523") or ("20040143745") or ("6850938") or ("6857068") or ("20050193031") or ("5689706") or ("5918229"))).PN.				
L83	1	"20040148587".pn. and (object with orientated)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L84	1	"20040148587".pn. and (commit\$3)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L85	1	"20040148587".pn. and (block blocking)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L99	1	'6256634".pn. and((time near stamp) same ("globally unique identifier" GUID)) and (object with oriented) and object	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L111	263	((backup replicat\$3 duplicat\$3) near2 commit \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L130	171	((backup replicat\$3) near4 (flag status)) and commit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L147	7	((("6493804") or ("6681225") or ("7010554"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
L148	219	"first state" and "second state" and "third state" and data and identifier and lock and (replicat\$4 backup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L154	298	"first state" and "second state" and "third state" and data and identifier and lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16

L158	108	"first state" and "second state" and "third state" and data and identifier and lock and (replicat\$4 backup) and (@ad< "20031127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L159	20	"first state" and "second state" and "third state" and data and identifier and lock and (replicat\$4 backup) and (logical with lock\$3) and (@ad< "20031127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L173	36	(time near stamp) same ("globally unique identifier" GUID) and @ad< "20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L180	1	'20040153480'.pn. and (media medium)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L182	8	(("5909540") or ("6823458") or ("20030050930") or ("6477597")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
L183	2	("5890153").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
L184	447	"data mover" same storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L185	118	"data mover" near5 storage and (@ad< "20021127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L186	104	(backup replicat\$3) near2 (flag status indicator) and data and state and identifier and lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L187	109	("first state" same "second state" same "third state") and data and identifier and lock\$3 and (@ad< "20021127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16

L188	8	"first state" and "second state" and "third state" and data and identifier and (logical near2 lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L189	38	("4682305" "4985863" "5161214" "5187750" "5287497").PN. OR ("5408630").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L190	6	(("20040143745") or ("6850938") or ("6857068")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
L191	72	("5001628" "5032979" "5113519" "5325524" "5367698" "5408619" "5408657" "5418966" "5434974" "5434994" "5459860" "5463774" "5491817" "5519855" "5608903" "5613079" "5677851" "5689706").PN. OR ("5832487").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L192	191	atom\$3 near2 transaction with process\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L194	1	("7225302").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2008/05/01 13:16
L195	6	(("5522077") or ("7225302") or ("7143414")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
L196	72	atom\$3 near2 transaction with process\$3 and (identifier ID) and @ad<"20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L197	69133	"707"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L198	215	((backup replicat\$3) near2 commit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L199	171	(storage near4 controller) and (metadata same (lock locking))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L200	546	multiple with semaphore	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16

L201	120	atom\$3 near2 transaction with process\$3 and @ad< "20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L203	118	atom\$3 near2 transaction with process\$3 and @ad< "20021117"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L204	229	"data mover" near5 storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L205	49	atom\$3 near2 transaction with process\$3 and identifier and @ad< "20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L206	121	((multiple near2 state) same lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L207	32	((backup replicat\$3) near4 (flag status) same commit\$3) and (ID identifier GUID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L209	43	((multiple near2 state) near4 lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L210	39	lock near2 share near2 exclusive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L211	61	(lock\$3 near2 id) near4 state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L212	8	("20040153480") or ("6029178") or ("6032158") or ("20040148447").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/01 13:16
L213	3	lock\$3 same (metadata) same group same (backup replicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16

L214	10	tagged near2 backup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L215	72	(atom\$3 near2 transaction) with process \$3 and (identifier ID) and @ad<"20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L216	37	((multiple with semaphore) same (copy replicat\$3)	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L217	6	((multiple and semaphore).ti. and (semaphore lock status))	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L218	18	((multiple with semaphore) same (copy replicat\$3)and @ad<"20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L219	2	(atom\$3 near2 transaction) with process \$3 same (identifier ID) and @ad<"20021127"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 13:16
L220	30	((time near stamp) same ("globally unique identifier" GUID) and database and @ad<"20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L221	10	((time near stamp) and ("globally unique identifier" GUID)) and (object near2 oriented) and "shared memory" and @ad<"20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L222	4	((time near stamp) same ("globally unique identifier" GUID)) and (object near2 oriented) and memory and @ad<"20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L224	183	((backup replicat\$3) near4 (flag status)) and commit \$3 and (ID identifier GUID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L225	132	((storage near2 controller) and (metadata same (lock locking)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 13:16
L226	9005	707/200-204.xls	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16

L227	9	L226 and (identifier and first and second and third and state and replication). clm.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L228	2	L226 and (identifier and first and second and third and state and replication). clm. and @ad<"20021127"	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16
L230	902	711/152.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2008/05/01 13:16

5/1/2008 1:32:20 PM

C:\Documents and Settings\slin\My Documents\EAST\Workspaces\10721898-112603.wsp